LISTING OF THE CLAIMS

The following listing of claims will replace all prior versions and listings:

1. (Currently Amended) A method for controlling a system formed from comprising a plurality of interdependent units to achieve [[an]] a target outcome, the method comprising the steps of:

automatically establishing a desired the target outcome for the system, and;

automatically establishing a desired target action for each interdependent unit of the

plurality of interdependent units responsive to the target outcome; and but independently of the

desired action of the other units

automatically actuating each interdependent unit of the plurality of interdependent units to perform the target action for the respective interdependent unit of the plurality of interdependent units.

wherein in the automatic establishing of the target action for each interdependent unit, the target action is established independently of, and without reference to, the target action for any other interdependent unit of the plurality of interdependent units.

- 2. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 1, wherein the desired target action for a said each interdependent unit is automatically established in response to [[the]] a current position of at least one reference portion of the system relative to a desired target position of that the at least one reference portion.
- 3. (Currently Amended) A method for controlling a system formed from comprising a plurality of interdependent units to achieve [[an]] a target outcome, the method comprising the steps of:

automatically establishing a desired the target outcome for the system, and
automatically establishing a desired target action for each interdependent unit of the
plurality of interdependent units responsive to the target outcome,

wherein the <u>desired target</u> action for <u>a said an interdependent</u> unit <u>of the plurality of</u> interdependent units is <u>automatically</u> established in response to [[the]] <u>a</u> current position of at

3

least one reference portion of the system relative to a desired target position of that the at least one reference portion.

automatically actuating each interdependent unit of the plurality of interdependent units to perform the target action for the respective interdependent unit of the plurality of interdependent units.

wherein in the automatic establishing of the target action for each interdependent unit, the target action is established independently of, and without reference to, the automatic establishing of the target action for any other interdependent unit.

- 4. (Currently Amended) [[A]] The method in accordance with Claim 2, wherein the desired automatic establishing of the target action for a said each interdependent unit involves includes calculating a difference value between the current position of [[a]] said at least one reference portion and the desired target position of that the at least one reference portion, and using said difference value to establish said desired target action.
- 5. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 4, further comprising: the steps of

<u>automatically</u> establishing an operation action for each <u>interdependent</u> unit[[;]] and, wherein the automatic actuating of each interdependent unit includes instructing each <u>interdependent</u> unit to initiate its the operation action.

- 6. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 5, further comprising the step of repeatedly iterating through the method steps of the method to update the so as to automatically establish an updated operation action.
- 7. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 6, wherein the <u>a</u> rate of the iteration is constant throughout the system.
- 8. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 6, wherein the <u>a</u> rate of the iteration varies between <u>among the interdependent</u> units of the system.

4

- 9. (Currently Amended) [[A]] <u>The</u> method in accordance Claim 5, wherein the operation action for at least some of the <u>interdependent</u> units <u>of the plurality of interdependent units</u> is the <u>desired target</u> action.
- 10. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 5, further comprising the steps of <u>automatically</u> establishing <u>a constraint factors factor</u> for the system, and <u>automatically</u> establishing a constrained action for <u>at least one</u> <u>a constrained interdependent</u> unit of the plurality of interdependent units responsive to the constraint <u>factors factor</u>,

wherein the constraint factor limits a range of target actions available to the constrained interdependent unit of the plurality of interdependent units.

- 11. (Currently Amended) [[A]] <u>The</u> method according to Claim 10, wherein the operation action for [[a]] <u>the constrained interdependent</u> unit <u>for which a constrained action has</u> been established is the constrained action.
- 12. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 10, wherein only the constraint <u>factors</u> <u>factor</u> for [[a]] <u>the constrained interdependent</u> unit <u>are is</u> utilised in <u>the automatic</u> establishing <u>of</u> the constrained action for <u>that</u> <u>the constrained interdependent</u> unit.
- 13. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 10, wherein <u>the</u> constraint <u>factors</u> <u>factor</u> relating to <u>at least one</u> <u>the constrained interdependent</u> unit <u>are is</u> utilised in establishing [[a]] said constrained action for another <u>said</u> <u>interdependent</u> unit <u>of the plurality of interdependent units</u>.
- 14. (Currently Amended) [[A]] <u>The</u> method in accordance with <u>Claim 10</u>, further comprising the step <u>automatically</u> establishing a plurality of intermediate outcomes to achieve the <u>desired target</u> outcome.

- 15. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 14, wherein the desired actions target action of the each interdependent units are unit is automatically established in response to individual ones an intermediate outcome of the plurality of intermediate outcomes.
- 16. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim [[14]] <u>15</u>, wherein the system comprises a series of subsystems, each subsystem being comprised of at least one <u>interdependent unit</u> of the plurality of interdependent units, and the method further comprises:

the steps of <u>automatically</u> establishing a said the intermediate outcome for each subsystem, whereby the <u>desired</u> target action for each <u>interdependent</u> unit is established responsive to the intermediate outcome of the subsystem [[to]] <u>with</u> which it is associated.

- 17. (Currently Amended) [[A]] The method in accordance with Claim 14, wherein the method steps are iterative so that a plurality of the desired actions for each unit is established over time, and whereby the desired further comprising repeatedly iterating through the steps of the method to automatically establish over time a plurality of target actions for each interdependent unit, wherein the plurality of target actions are is established responsive to [[a]] the plurality of the intermediate outcomes.
- 18. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 1, wherein the <u>target</u> outcome is <u>dependent on automatically established in accordance with</u> a spatial relationship of the system.
- 19. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 18, wherein the <u>target</u> outcome is <u>automatically established in accordance with</u> a predetermined spatial relationship of the system relative to a <u>desired</u> <u>target</u> location.
- 20. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 18, wherein the <u>target</u> outcome is <u>also</u> <u>automatically established in accordance with a time dependent <u>consideration</u>.</u>

- 21. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 18, wherein the desired target action involves is automatically established in accordance with an adjusting of the a spatial position of that interdependent unit.
- 22. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 21, wherein the adjustment is by way of movement of the <u>interdependent</u> unit and/or expansion or contraction of that <u>interdependent</u> unit.
- 23. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 18, wherein the <u>target</u> outcome determines the <u>desired</u> <u>target</u> position.
- 24. (Currently Amended) A method for controlling a plurality of interdependent units, the method comprising the steps of[[,]]:

<u>automatically deriving an operation action responsive to starting information</u> for each <u>interdependent</u> unit[[,]] <u>independently deriving an operation action, the operation action being responsive to starting information of the plurality of interdependent units; and</u>

automatically actuating each interdependent unit of the plurality of interdependent units to perform the operation action for the respective interdependent unit of the plurality of interdependent units,

wherein in the automatically deriving of the operation action for each interdependent unit, the operation action is established independently of, and without reference to, the operation action for any other interdependent unit of the plurality of interdependent units.

wherein the starting information is selected from a group comprising a target outcome, a target action, a constraint action and a reference position.

25. (Canceled)

26. (Currently Amended) A system for controlling a plurality of interdependent units moveable to achieve an outcome, the system comprising a controller arranged operable to

implement a control methodology the method in accordance with Claim 1 and thereby to control the plurality of interdependent units.

- 27. (Currently Amended) [[A]] The system including the controller in accordance with Claim [[24]] 26, wherein the further comprising a sensor operable to collect information regarding the a presence of a constraining factors factor is collected by a sensor for determining a constraint action for at least a constrained interdependent unit of the plurality of interdependent units.
- 28. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim [[25]] <u>26</u>, wherein the movement is performed by an actuating means <u>further comprising an actuating system</u> operable to actuate the plurality of interdependent units.
- 29. (Currently Amended) A system <u>operable to implement the method</u> in accordance with Claim 24, wherein each interdependent unit <u>of the plurality of interdependent units</u> is a constituent part of a robot.
- 30. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim <u>27 29</u>, wherein each constituent part is a module in <u>the robot implemented as</u> a robotic manipulator.
- 31. (Currently Amended) A system <u>operable to implement the method</u> in accordance with Claim 24, further comprising control means capable of switching the operable to switch a control methodology of the system to a centralised control methodology in which all interdependent units of the plurality of interdependent units are centrally controlled.
- 32. (Currently Amended) A computer program arranged to, when loaded on a computing system[[,]] processor-readable medium comprising a program of instructions executable on a computer, the instructions operable to perform the method of Claim 1.
 - 33. (Canceled)

34. (Currently Amended) A computer program arranged to, when loaded on a computing system[[,]] processor-readable medium comprising a program of instructions executable on a computer, the instructions operable to perform the method of Claim 3.

35. (Canceled)

36. (Currently Amended) A system comprising a <u>control system operable to implement</u> the method of Claim 1, and comprising:

the plurality of interdependent units, the units being interdependent and being capable of movement operable to move relative to one another[[,]];

at least one actuator operative operable to move the interdependent units[[,]]; and
[[a]] the control system operative being operable to impart instructions to the at least one actuator to move for the automatic actuating of the interdependent units[[,]] wherein the controller uses a control methodology in accordance Claim 1.

- 37. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim 36, wherein the units of the plurality of interdependent units are interdependent by being in a predetermined spatial relationship.
- 38. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim 37, wherein <u>each</u> <u>unit of</u> the <u>plurality of interdependent</u> units <u>are is physically</u> interconnected <u>to at least one other unit of the plurality of interdependent units.</u>
- 39. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim 36, wherein the control system comprises a plurality of controllers, located each controller of the plurality of controllers positioned in a respective ones unit of the plurality of interdependent units, each controller being operative operable to impart instructions to the at least one actuator to move the for the automatic actuating of the interdependent unit to which it is associated, wherein the controllers use a control methodology in accordance with Claim 1.

- 40. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim 36, wherein each interdependent unit of the plurality of interdependent units is a constituent part of a robot.
- 41. (Currently Amended) [[A]] <u>The</u> system in accordance with Claim 40, wherein each constituent part is a module in <u>the robot implemented as</u> a robotic manipulator.
- 42. (Currently Amended) A <u>composite</u> system comprising a plurality of subsystems, each subsystem <u>of the plurality of subsystems</u> comprising a <u>plurality of units</u>, the units being interdependent and being capable of movement relative to one another; at least one actuator operative to move the units in each subsystem; and a control system operative to impart instructions to the at least one actuator using a control methodology in accordance with Claim 1 the system according to Claim 36.
- 43. (Currently Amended) [[A]] <u>The composite</u> system according to Claim 42, wherein to achieve a <u>desired target</u> outcome, intermediate outcomes are <u>automatically</u> established for each <u>subsystem</u> of the <u>plurality of</u> subsystems, and wherein the control system coordinates movement of the <u>plurality of</u> subsystems by coordinating the intermediate outcomes for each subsystem.
- 44. (Currently Amended) [[A]] <u>The</u> method in accordance with Claim 3, wherein the desired automatic establishing of the target action for a said the interdependent unit involves calculating a difference value between the current position of a <u>reference portion of</u> said <u>at least one</u> reference portion and the desired target position of that the reference portion, and using said difference value to establish for the automatic establishing of said desired target action.
- 45. (New) The method according to Claim 1, wherein each unit of the plurality of independent units is physically joined together directly or indirectly with at least one other unit of the plurality of interdependent units.